

Connect-FLX and Connect-XiP Zone Profile

Name	Zone Profile Number	Description	UI Type (note 6)	Alarm Type (note 5)	Siren Type	Active Levels	Delay	Supervision Interval (note 4)	Restoral	CS Report Code	Report Delay	Bypass-able	China Open (note 4)	China Close (note 4)	Tamper	Low Batt	Follower	Auto Bypass	Tamper Alarm	Cross Zoning (note 4)	Fire Alarm Verify (note 4)	NO/NC (note 4, note 7)			
Fire	1	Fire, heat, smoke sensor	Fire (3)	Fire (1)	Temp 3	All	none	2	Yes	1111	No	No	No	No	Yes	Yes	No	No	No	No	No	NC note 2			
Heat	2	Fire, heat sensor	Fire (3)	Fire (1)	Temp 3	All	none	2	Yes	1114	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Perimeter	3	Intrusion, Perimeter	Window (1)	Intrusion (4)	Intrusion	Stay, Night, Away	none	2	Yes	1131	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes	No	No	NC			
Entry/Exit Standard	4	Intrusion, Perimeter, with standard delay	Door (0)	Intrusion (4)	Intrusion	Stay, Night, Away	std.	2	Yes	1134	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No	No	NC			
Entry/Exit Long	5	Intrusion, Perimeter, with long delay	Tilt (4)	Intrusion (4)	Intrusion	Stay, Night, Away	long	2	Yes	1134	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No	No	NC			
Interior	6	Intrusion, Interior, no delay	Door (0)	Intrusion (4)	Intrusion	Away	none	2	Yes	1132	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes	No	No	NC			
Interior Follower	7	Intrusion, Interior, follower	Door (0)	Intrusion (4)	Intrusion	Away	none	2	Yes	1132	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No	No	NC			
Motion	8	Intrusion, Interior, Motion, no delay, no restoral	Motion (5)	Intrusion (4)	Intrusion	Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Motion Follower	9	Intrusion, Interior, Motion, follower, no restoral	Motion (5)	Intrusion (4)	Intrusion	Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	No	No	NC			
Motion Night	10	Intrusion, Interior, Motion, no delay, no restoral	Motion (5)	Intrusion (4)	Intrusion	Night Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Motion Outdoor	11	Intrusion, Perimeter, Motion, Long delay, No restoral	Motion (5)	Intrusion (4)	Intrusion	Away	long	2	No	1136	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Panic	12	Panic, Police	Panic (6)	Panic (3)	Intrusion	All except ALL Off	none	2	No	1120	Yes	Yes	No	No	Yes	Yes	No	No	No	No	No	NC			
Auxiliary	13	Auxiliary, no delay	Door (0)	Aux (6)	Low level	All except ALL Off	none	2	Yes	1150	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
Trigger	14	Trigger zone for scenes or chime	Door (0)	None (0)	None	All	none	2	Yes	none	n/a	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
High Temperature	15	High Temperature	High Temp (7)	High Temp. (8)	Low Level	All except ALL Off	none	2	Yes	1158	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
Flood	16	High Water Level	Water (9)	Water Level (9)	Low Level	All except ALL Off	none	2	Yes	1154	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
Low Temperature	17	Low Temperature	Low Temp (8)	Low Temp. (7)	Low Level	All except ALL Off	none	2	Yes	1159	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
Glassbreak	18	Intrusion, Glassbreak	Glass-break (2)	Intrusion (4)	Intrusion	Stay, Night, Away	none	2	No	1131	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			

Name	Zone Profile Number	Description	UI Type (note 6)	Alarm Type (note 5)	Siren Type	Active Levels	Delay	Supervision Interval (note 4)	Restoral	CS Report Code	Report Delay	Bypass-able	Chime Open (note 4)	Chime Close (note 4)	Tamper	Low Batt	Follower	Auto Bypass	Tamper Alarm	Cross Zoning (note 4)	Fire Alarm Verify (note 4)	NONC (note 4) note 7			
Special	19	Special intrusion, disarmed only in "ALL OFF" level	Door (0)	Aux (6)	Low Level	All except ALL Off	none	2	Yes	1133	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
CO	20	Carbon Monoxide	CO (10)	Carbon Monoxide (2)	Temp 4	All	none	2	Yes	1162	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Supervised Only	21	Monitored for trouble conditions only	Door (0)	None (0)	None	All	none	2	No	none	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Panel Tamper	22	Panel Cover Tamper & Wall tamper	Tamper (13)	Tamper (5)	Intrusion	Stay, Night, Away	none	2	Yes	1137	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Medical	23	Medical Alarm, no delay	Medical (11)	Medical (13)	Low level	All except ALL Off	none	2	No	1100	No	Yes	No	No	Yes	Yes	No	Yes	No	No	No	NC			
		This profile is no longer used																							
Keyswitch Arming	25	Used for keyswitch arming in the selected partition. Also monitored for trouble conditions	Keysw (12)	None (0)	None	None	none	2	No	none	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Smoke Alarm	26	Smoke sensor (smoke alarm type)	Fire (3)	Smoke (17)	Temp 3	All	none	2	Yes	1111	No	No	No	No	Yes	Yes	No	No	No	No	No	NC note 2			
Heat Alarm	27	Heat sensor (heat alarm type)	Fire (3)	Heat (18)	Temp 3	All	none	2	Yes	1114	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Perimeter Alarm	28	Intrusion, Perimeter (perimeter alarm type)	Window (1)	Intrusion Perimeter (15)	Intrusion	Stay, Night, Away	none	2	Yes	1131	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes	No	No	NC			
Entry/Exit Alarm - Std	29	Intrusion, Entry/Exit (entry/exit alarm type)	Door (0)	Intrusion Entry/Exit (14)	Intrusion	Stay, Night, Away	std.	2	Yes	1134	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No	No	NC			
Interior Alarm	30	Intrusion, Interior, no delay (interior alarm type)	Door (0)	Intrusion Interior (16)	Intrusion	Away	none	2	Yes	1132	Yes	Yes	No	No	Yes	Yes	No	Yes	Yes	No	No	NC			
Interior Follower Alarm	31	Intrusion, Interior, follower (interior alarm type)	Door (0)	Intrusion Interior (16)	Intrusion	Away	none	2	Yes	1132	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No	No	NC			
Motion Interior Alarm	32	Intrusion, Interior, Motion, no delay, no restoral (interior alarm type)	Motion (5)	Intrusion Interior (16)	Intrusion	Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Motion Follower Interior Alarm	33	Intrusion, Interior, Motion, follower, no restoral	Motion (5)	Intrusion Interior (16)	Intrusion	Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	Yes	No	Yes	No	No	NC			

Name	Zone Profile Number	Description	UI Type (note 6)	Alarm Type (note 5)	Siren Type	Active Levels	Delay	Supervision Interval (note 4)	Restoral	CS Report Code	Report Delay	Bypass-able	Chime Open (note 4)	Chime Close (note 4)	Tamper	Low Batt	Follower	Auto Bypass	Tamper Alarm	Cross Zoning (note 4)	Fire Alarm Verify (note 4)	NO/NC (note 4) note 7)			
Entry/Exit Alarm - Long	34	Intrusion, Entry/Exit (entry/exit alarm type and, uses the long entry & exit delay times)	Tilt (4)	Intrusion Entry/Exit (14)	Intrusion	Stay, Night, Away	long	2	Yes	1134	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	No	No	NC			
Silent Panic	35	Silent Panic, Police	Panic (6)	Silent Panic (10)	None	All except ALL Off	none	2	No	1122	No	Yes	No	No	Yes	Yes	No	No	No	No	No	NC			
Aux Panic	36	Auxiliary Panic	Panic (6)	Auxiliary (6)	Low Level	All except ALL OFF	none	2	No	1101	No	Yes	No	No	Yes	Yes	No	No	No	No	No	NC			
Flammable Gas	37	Flammable Gas	Fire (3)	Flammable Gas (12)	Temp 3	All	none	2	Yes	1151	No	No	No	No	Yes	Yes	No	No	No	No	No	NC			
Motion Night – Interior Alarm	38	Intrusion, Interior, Motion, no delay, no restoral (interior alarm type)	Motion (5)	Intrusion Interior (16)	Intrusion	Night Away	none	2	No	1132	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Motion Outdoor – Perimeter Alarm	39	Intrusion, Perimeter, Motion, Long delay, No restoral (perimeter alarm type)	Motion (5)	Intrusion Perimeter (15)	Intrusion	Stay Night Away	long	2	No	1136	Yes	Yes	No	No	Yes	Yes	No	No	Yes	No	No	NC			
Custom profile 0	124	Custom zone profile, index 0																							
Custom profile 1	125	Custom zone profile, index 1																							
Custom profile 2	126	Custom zone profile, index 2																							
Custom profile 3	127	Custom zone profile, index 3																							

Notes:

1. NC option is not allowed for these profiles
2. A change in these options for a zone will not be flagged as a change to the default profile settings for that zone.
3. From the “Alarm Types” table in the HelixSecurityGatewayData document.
4. UI types from the “Zone UI Types” table in the HelixSecurityGatewayData document.
5. This option applies to wireless zones only. See the “Polarity” option in table 5 for NO/NC option for hardwired zones.